

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [*] Notice, "297 days." should read -- 237 days. --.

Column 1,

Line 66, "using" should read -- used --.

Column 2,

Line 6, "using" should read -- used --.

Column 4,

Line 34, "mean" should read -- means --.

Column 6,

Line 62, "lithium." should read -- lithium battery. --.

Column 8,

Line 28, "has an" should read -- has a --;
Line 31, "an sealing" should read -- a sealing --;
Lines 34 and 51, "**110a**" should read -- **101a** --; and
Line 67, "relatively." should read -- relatively thin. --.

Column 11,

Line 7, "indicates an" should read -- indicates a --; and
Line 30, "mental" should read -- metal --.

Column 12,

Line 12, "comprises" should read -- comprise --; and
Line 52, "(see." should read -- (see, --.

Column 13,

Line 3, "MOS₂." should read -- MoS₂. --.

Column 14,

Line 33, "isolating" should read -- isolate --;
Line 47, "of," should read -- of --; and
Line 55, "more" should read -- more of --.

Column 15,

Line 7, "electrolytesolution)," should read -- electrolyte solution), --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16.

Line 38, "battery is obtained." should read -- battery. --; and
Line 64, "an," should read -- an --.

Column 17.

Lines 8 and 10, "cellar" should read -- cellular --; and
Lines 40 and 59, "past" should read -- paste --.

Column 18.

Line 11, "50 μ ," should read -- 50 μ m, --; and
Line 28, "insulating" should read -- insulate --.

Column 19.

Line 6, "their" should be deleted; and
Line 35, "obtained" should read -- obtain --.

Column 20.

Line 41, "dimetacrylate" should read -- dimethacrylate --.

Column 22.

Line 10, "hours" should read -- hours in --;
Line 24, "battery(s)" should read -- battery(s) that --; and
Table 1, "battery in" should read -- batteries in --.

Column 23.

Line 2, "hours" should read -- hours in --;
Line 19, "in withstand" should read -- in withstanding --; and

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 3 of 3


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23 (cont'd).

Line 24, "plat" should read -- plate --.

Signed and Sealed this

Twenty-eighth Day of March, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with the first name "Jon" and last name "Dudas" clearly legible, and "W." in the middle. The signature is written over a faint, rectangular, dotted-line border.

JON W. DUDAS
Director of the United States Patent and Trademark Office